

Cydectin[®] Long Acting Injection for Cattle

Product Statement

For the treatment and control of moxidectin sensitive internal and external parasites in cattle.

Composition

Moxidectin 100mg/mL

What is Cydectin[®] Long Acting Injection?

- Contains moxidectin
- A macrocyclic lactone (ML) or 'mectin' class injection for cattle
- Broad spectrum control of internal and external parasites
- Kills roundworms for longer
- Control *Ostertagia* for 112 days
- Controls barber's pole worm, lungworm and nodule worm for 120 days
- Controls black scour worm for 72 days
- Controls cattle tick for 28 days
- No known impact on dung beetles+

Dosage

Cydectin[®] Long Acting Injection for Cattle should be administered subcutaneously into the back of the ear (as directed on label) at the recommended dose rate of 1mL/100kg bodyweight. Administer the dose according to the dose table **using the special Cydectin[®] 5mL injector gun. DO NOT USE any other injector.**

Bodyweight (kg)	Dose Volume (mL)	Animals Treated
*100	1	200
101-150	1.5	133
151-200	2	100
201-250	2.5	80
251-300	3	66
301-350	3.5	57
351-400	4	50
401-450	4.5	44
451-500+	5	40

- * Do not use in cattle less than 100kg bodyweight.
- + Do not use in cattle greater than 500kg

Withholding Periods/ESI

Meat – 56 days
Milk – 80 days
ESI – 108 days

Pack Size

Liquid: 200ml

Storage

Store below 30 degrees (room temperature) protected from light. Discard unused portion after 6 months of first broaching container.


Manufacturer

Virbac Australia Pty Ltd

APVMA Number

60116

- + See label for full details.



For an obligation free quote on Cydectin[®] Long Acting Injection for Cattle, please visit the Animal Health Direct website at;

<http://www.animalhealthdirect.com.au/page/6/ContactUs.html>

Animal Health Direct
PO Box 382 Toowoomba QLD 4350
PH: 0745 299 403
MB: 0428 767 892 FAX: 0746 987 454
Em: Admin@AnimalHealthDirect.com.au
WEB: www.AnimalHealthDirect.com.au