

Ivomec® Plus Injection for Cattle

Broad-spectrum Antiparasitic Injection for Cattle or the treatment and control of Ivermectin and Clorsulon sensitive strains of internal and external parasites of cattle, including adult liver flukes. Ivomec® Plus Injection can be used on lactating dairy cows.

Manufacturer: Merial Australia Pty Ltd (APVMA approval # 45359/0200)

Active Ingredient: Ivermectin 10 mg/mL, clorsulon 100 mg/mL.

Withholding Periods: Meat: 28 days. Milk: Nil.

Export Slaughter Interval: 42 days

Pack sizes: 200ml, 500ml, and 1L liquid.

Administration: Subcutaneous injection.

Dosage: 1 ml/50 kg liveweight.
Please read all instructions before use.

PRODUCT BENEFITS:

1. Nil milk withholding;
2. Can be used in lactating dairy cows;
3. Broad spectrum parasite control for cattle;
4. Wide margin of safety;
5. Controls the Australian Cattle Tick (*Boophilus microplus*).

Indications: Ivomec® Plus (Ivermectin Plus Clorsulon) Antiparasitic Injection for Cattle is used for the treatment and control of adult and immature stages of small brown stomach worm including inhibited L4 larvae, barber's pole worm, small intestinal worm, hookworm, nodule worm; adult and immature brown stomach worm, stomach hair worm, intestinal hair worm; adult stages of thin necked intestinal worm, intestinal threadworm, large roundworm; adult liver fluke; adult and immature lungworm; adult eyeworm; parasitic larval stages of screw worm fly; sucking lice; mites and cattle tick. Also aids in the control of chorioptic mite.

For an obligation free quote on Ivomec Plus Injection, please visit the Animal Health Direct website at;

<http://www.animalhealthdirect.com.au/page/6/ContactUs.html>
